



Ultradoser 150S Specification



Ultradoser 150S Specification

Ultradoser – Technical Specifications

Materials:	Stainless Steel Series 300*
Weight:	32 lbs (14.5 kg)
Body Dimensions:	18"H x 6"W (762 x 152 mm)
Dosing Head Dimensions:	9.5"H x 2"W (241 x 50.8 mm)
Arm Reach:	12" - 18" (304.8 - 457 mm)
Head Pressure:	0.45 psi (0.03 bar)
Nozzles:	Ships with 0.040", 0.050", 0.060" 0.020" - 0.100" (0.005" increments) available
System Utilities:	<p>Liquid Nitrogen: Portable Dura-Cyl dewar – 22 psi (1.5 bar) Bulk Tank (House Fed) System (with Chart Phase Separator) – 100 psi (6.9 bar) Maximum flow rate 15 gallons (56 liters) per hour</p> <p>Gas Nitrogen: 60 to 100 psi (4.1 to 6.9 bar) 10 SCFH gas per 100 bottles (or containers) per minute</p> <p>Electrical Supply: 100-240 VAC 50-60Hz 110 W</p>
Steady State Consumption:	0.04 gal (0.15 liter) / hour
EP Head Compatible:	Yes
Quick Service Feature:	NO
Vacuum Insulated:	Yes
Soft Dose Compatible:	Yes
No Bottle, No Dose Feature:	Yes
Hose Length:	3m (NOTE: Longer hoses up to 18 meters (60ft) available upon request)

Ultradoser 150S Specification



Controller – Technical Specifications


PLC Platform	Siemens
Display	Mono Keypad
Dose Duration	10 to 1000 ms (1 ms intervals)
Dose Volume	0.01 to 14 grams/dose
Encoder Compatible	No
Maximum Discrete Dosing (cpm)	150 CPM (9000 PH)
MicroDose™ Technology	No
Line Speed Auto Detect	No
Electronic Dose Targeting	No
Fixed Delay Mode	Yes
Speed Compensated Mode	No
Accuracy	± 5% of dose weight
Multiple Languages	No
RemoteDose™ Capable	No
IntelliDose™ Capable	No
Recipe Storage	No
Certifications	CE, NEMA 4X
Materials:	Stainless steel construction. Built to food and beverage industry standards.

General Information

Crate Dimensions:	58"L x 58"W x 24"H (1473 x 1473 x 609mm) 300 lbs with stand (136 kg) 225 lbs without stand (102kg)
-------------------	--

Ultradoser 150S Specification






www.Chartdosers.com


Ultradoser 150S Specification

150S Controller Dimensions

PROPRIETARY AND CONFIDENTIAL
 THE MATERIALS AND INFORMATION, INCLUDING THE PRINCIPLES OF DESIGN PRESENTED BY THIS PRINT, IS THE EXCLUSIVE PROPERTY OF CHARTIND, AND IS CONFIDENTIAL INFORMATION. ACCORDINGLY, THIS INFORMATION IS SUBMITTED TO YOU WITH THE AGREEMENT THAT IT IS NOT TO BE REPRODUCED, COPIED, OR LOANED, IN PART OR IN WHOLE, NOR IS THE INFORMATION TO BE RELAYED TO ANY COMPANY. ACCEPTANCE OF THIS DRAWING WILL BE CONSIDERED AS AN AGREEMENT TO THE ABOVE.



MAMP	N/A
MINI BRID PACDUS	N/A



P/N: CR_2842



CHART INDUSTRIES
 161 BAYPOINTE PKWY. SAN JOSE, CA 95134
 MAIN: (408) 371-3303 FAX: (408) 572-1567
 WWW.CHARTINDUSTRIES.COM

SCALE: NTS	TOL: N/A	DMN: -	DATE:
QUANTITY: 1	MATERIAL: N/A	CHK: -	DATE:
REF: CR_2842	S/N: N/A	APP: -	DATE:
CONTROLLER FS150			





DWG: CR_2842 MARKETING


REV: 01

PAGE: 1 OF 1

Ultradoser 150S Specification

Example of Liquid Nitrogen Feed Hose

<p style="font-size: 8px; margin: 0;">SECRETARY AND CONFIDENTIAL</p> <p style="font-size: 8px; margin: 0;">THE MATERIALS AND INFORMATION, INCLUDING THE PRINCIPLES OF DESIGN PRESENTED BY THIS PRINT, IS THE EXCLUSIVE PROPERTY OF CHART IND. AND IS CONFIDENTIAL INFORMATION. ACCORDINGLY, THIS INFORMATION IS SUBMITTED TO YOU WITH THE AGREEMENT THAT IT IS NOT TO BE REPRODUCED, COPIED, OR LOANED, IN PART OR IN WHOLE, NOR IS THE INFORMATION TO BE RELAYED TO ANY COMPANY. ACCEPTANCE OF THIS DRAWING WILL BE CONSTRUED AS AN AGREEMENT TO THE ABOVE.</p>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; font-size: 8px;">MAX WP</td> <td style="width: 50%; text-align: right; font-size: 8px;">200 PSIG</td> </tr> <tr> <td colspan="2" style="font-size: 8px;">MIN. BEND RADIUS</td> </tr> </table>	MAX WP	200 PSIG	MIN. BEND RADIUS																									
MAX WP	200 PSIG																													
MIN. BEND RADIUS																														
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td colspan="4" style="text-align: center; font-size: 8px;">P/N: 123-088-20</td> </tr> <tr> <td colspan="4" style="text-align: center;">  </td> </tr> <tr> <td colspan="4" style="text-align: center; font-size: 8px;">CHART INDUSTRIES 161 BAYPOINTE PKWY., SAN JOSE, CA 95134 MAIL: 1408 371-3303 FAX: 1408 877-1887 WWW.CHARTINDUSTRIES.COM</td> </tr> <tr> <td style="font-size: 8px;">SCALE: NTS</td> <td style="font-size: 8px;">TOL: N/A</td> <td style="font-size: 8px;">DWN: LB</td> <td style="font-size: 8px;">DATE: 01/31/12</td> </tr> <tr> <td style="font-size: 8px;">QUANTITY: 1</td> <td style="font-size: 8px;">MATERIAL: 304 SS</td> <td style="font-size: 8px;">CHK: -</td> <td style="font-size: 8px;">DATE: -</td> </tr> <tr> <td style="font-size: 8px;">REF: 16006</td> <td style="font-size: 8px;">S/N: N/A</td> <td style="font-size: 8px;">APP: -</td> <td style="font-size: 8px;">DATE: -</td> </tr> <tr> <td colspan="4" style="text-align: center; font-size: 8px;">1/2" CRYOTECHFLEX LN2 SPOOL SECTION (1) 1/2" FEMALE FLARE (1) 625 MALE BAYONET</td> </tr> </table>			P/N: 123-088-20								CHART INDUSTRIES 161 BAYPOINTE PKWY., SAN JOSE, CA 95134 MAIL: 1408 371-3303 FAX: 1408 877-1887 WWW.CHARTINDUSTRIES.COM				SCALE: NTS	TOL: N/A	DWN: LB	DATE: 01/31/12	QUANTITY: 1	MATERIAL: 304 SS	CHK: -	DATE: -	REF: 16006	S/N: N/A	APP: -	DATE: -	1/2" CRYOTECHFLEX LN2 SPOOL SECTION (1) 1/2" FEMALE FLARE (1) 625 MALE BAYONET			
P/N: 123-088-20																														
																														
CHART INDUSTRIES 161 BAYPOINTE PKWY., SAN JOSE, CA 95134 MAIL: 1408 371-3303 FAX: 1408 877-1887 WWW.CHARTINDUSTRIES.COM																														
SCALE: NTS	TOL: N/A	DWN: LB	DATE: 01/31/12																											
QUANTITY: 1	MATERIAL: 304 SS	CHK: -	DATE: -																											
REF: 16006	S/N: N/A	APP: -	DATE: -																											
1/2" CRYOTECHFLEX LN2 SPOOL SECTION (1) 1/2" FEMALE FLARE (1) 625 MALE BAYONET																														
REV.	DESCRIPTION	DRAWN BY	APPROVED	DATE	DWG.: CSJ-00009.5	REV.:	PAGE: 1 OF 1																							



- | | |
|------------------------|--|
| Start connection Type: | 1/2 SAE 45 (AKA 1/2" JIC) |
| Enc Connection Type | 625 Male Bayonet with 1/4" FPT thread for filter insert |
| Wrapping Options: | Available in Braided outer or Spiral Wrapped |
| Length: | Dosing systems come with 3m as standard. Option to increase length |

in 300mm increments up to 18m in total

Material: 316 Stainless Steel

Weight: Length dependent

www.Chartdosers.com